

بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ



مركز الرعاية الصحية  
بمحافظة جدة  
جدة، المملكة العربية السعودية

مركز الرعاية الصحية بـمحافظة جدة

### MADHANA EMERGENCY EVACUATION

Referring health Facility : .....

Referred Facility: .....

Patient Name: .....

Age: ..... Sex: .....

Health Facility ID No: .....

Address: .....

National ID No: .....

Duration Of Treatment: .....

Ward & Bed No: .....

Provisional Diagnosis: .....

Assessment of Present Condition (Positive Clinical Findings):

.....  
.....  
.....

Vitals:

P: ..... R: ..... BP: .....

Investigations Done (Relevant)

.....  
.....  
.....  
.....  
.....

Treatment Given at the Referring Health Facility:

.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....

Reasons for Emergency Referral:

.....  
.....  
.....  
.....  
.....  
.....

Recommendations of Specialist at Referred Facility (and name of the specialist):

.....  
.....  
.....  
.....  
.....  
.....

Is the patient fit for travel: By air (Y/N); By sea (Y/N) Is patient a stretcher case: (Y/N)

Is medical escort required: (Y/N) If yes, number of escorts required: .....

Date: .....

Name, Designation and Signature of medical practitioner/ health worker referring the case:

.....  
.....  
.....

### **Social Health Insurance Protocol for Emergency Transfers Inclusion Criteria**

1. Must be declared a life – threatening emergency or declared as one that may lead to a permanent life long disability, by the host institution attending medical practitioner or health worker.
2. Must be corroborated by receiving health facility as an appropriate case for receipt and management that will make a critical difference in term of morbidity / mortality.
3. The patient should be fit for air/ sea travel. (As declared jointly by referring and receiving facilities)

### **Exclusion Criteria**

1. Unfit for air/ sea travel
2. Management at higher level is unlikely to make a prognostic difference
3. Brain death
4. No Consent

### **Common Eligible Conditions**

1. Trauma – Head Injury , Complicated fractures that require often reduction or instrumentation
2. Extensive burns (after immediate hemodynamic stabilization)
3. Penetrating/ Crusting injuries of thorax/abdomen with significant internal organ damage
4. Acute CNS infections with doubtful diagnoses
5. Status epileptics with undiagnosed a etiology
6. Mania requiring physical restraint
7. Depression with serious suicide ideation
8. Anti polyneuropathy/radiculopathy/muscle disease requiring ventilator support (e.g. scrub typhus, dengue) or developing serious complications (e.g. DSS/DHF)
9. Stroke with raised ICT
10. Severe Cardiac Failure
11. Anti respiratory failure (where ventilator support is not available locally)
12. Life – Threatening car dial arrhythmias
13. Seriously ill patients with any diagnostics conundrum
14. Gross life threatening congenital anomalies (compatible and life)
15. Extreme prematurity(<33 wks)
16. Life threatening urgent surgical conditions
17. Congenital cyanotic heart disease requiring medical/surgical management. (e.g. pulmonary stenosis/Artesia)
18. Life threatening pregnancy related complications either for baby or mother
19. Injury leading to permanent disability or dysfunction due to sexual abuse.